



Suppression of Material Failure Modes in Titanium Armors

by William J. Bruchey

ARL-TR-3124

December 2003

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-TR-3124

December 2003

Suppression of Material Failure Modes in Titanium Armors

William J. Bruchey

Weapons and Materials Research Directorate, ARL

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) December 2003		2. REPORT TYPE Final		3. DATES COVERED (From - To) October 1998–September 2003	
4. TITLE AND SUBTITLE Suppression of Material Failure Modes in Titanium Armors				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) William J. Bruchey				5d. PROJECT NUMBER 273808.E11	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRD-ARL-WM-TA Aberdeen Proving Ground, MD 21005-5066				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-3124	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) PM-Combat Systems ATTN: SFAE-GCS-S USTACOM Warren, MI 48397-5000				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Previous research by the U.S. Army Research Laboratory (ARL) has shown that the most common titanium alloy, Ti-6Al-4V, provides weight-effective protection against small-arms projectiles. In armor applications, titanium is susceptible to adiabatic shear and spall failure at the back surface. The large spall plugs that form can be a significant factor in behind-armor vulnerability and lethality. As the U.S. Army moves towards lighter and lighter Future Combat Systems class vehicles, thinner and lighter armors and structural elements will be needed. Particularly, the rear structural element in an armor must provide protection producing minimal behind-armor debris. ARL, in cooperation with the PM-Combat Systems, has undertaken a program to address this problem. Two-layer titanium composites were investigated. The initial or impact facing layer consisted of Ti-6Al-4V, with a backing layer of a nonplugging/spalling material. Backing layers consisted of commercially pure titanium, rolled homogeneous armor, steel, or aluminum. For each material combination, the two layers were either metallurgically bonded using explosive welding or diffusion bonded using hot isostatic pressing.					
15. SUBJECT TERMS armor, titanium, titanium alloy, material failure					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UL	18. NUMBER OF PAGES 24	19a. NAME OF RESPONSIBLE PERSON William J. Bruchey
a. REPORT UNCLASSIFIED	b. ABSTRACT UNCLASSIFIED	c. THIS PAGE UNCLASSIFIED			19b. TELEPHONE NUMBER (Include area code) 410-278-6223

Contents

List of Figures	iv
Acknowledgments	v
1. Introduction	1
2. Background	1
3. Materials and Processing	3
4. Test Methodology	4
5. Results	5
6. Conclusions	7
Distribution List	8

List of Figures

Figure 1. Comparison of penetration and perforation behavior of rolled homogeneous armor (RHA) and Ti-6Al-4V armor materials.	2
Figure 2. Severe spall of unconfined back surface due to ballistic impact on finite thickness titanium armor plate.	2
Figure 3. Schematic of explosive welding process.	3
Figure 4. Sketch of 20-mm fragment simulating projectile (FSP).	4
Figure 5. Comparison of limit velocity performance of candidate titanium laminates vs. the weight equivalent monolithic titanium armor plate.	5
Figure 6. Comparison of limit velocity for titanium laminates and Ti-6Al-4V alloy.	6
Figure 7. Typical penetration channel through HIP-bonded Ti-6Al-4V laminate. Penetration direction is top to bottom.	6
Figure 8. Spall cone diameters for titanium and titanium laminates impacted by 20-mm FSPs.	7

Acknowledgments

The author would like to acknowledge the help and support of Mr. Matthew Burkins and Mr. David Mackenzie of the U.S. Army Research Laboratory, Weapons and Materials Research Directorate, Terminal Effects Division. Mr. Burkins provided guidance on ballistic testing and oversight of the data reduction and analysis. Mr. Mackenzie conducted all the target sectioning, specimen polishing, photographing, and target measurements.

INTENTIONALLY LEFT BLANK.

1. Introduction

As early as 1950, Pitler and Hurlich¹ noted that titanium alloys showed promise as armors against small arms projectiles. By the early 1960s, Sliney² presented ballistic performance data for the Ti-6Al-4V alloy that demonstrated significant weight reductions over steel armors for a variety of small arms threats. Little follow-on work with larger threats was conducted due to the prohibitive cost of the titanium.

Recently, the U.S. Army Tank-Automotive Research, Development, and Engineering Center, Warren, MI, funded the Weapons and Materials Research Directorate of the U.S. Army Research Laboratory, Aberdeen Proving Ground, MD, to complete a ballistic evaluation of thick titanium plates with tungsten alloy and depleted uranium penetrators.³ The U.S. Department of Interior Bureau of Mines at Albany, OR, was funded to purchase 76.2- to 101.6-mm-thick Ti-6Al-4V plates manufactured to the common MIL-T-9046J⁴ specification.

2. Background

In the work of Burkins et al.³, the adiabatic shear and spalling behavior of the Ti-6Al-4V alloy were noted. The consequence of this behavior can be seen in figure 1, which shows how the ballistic behavior is effected by the free back surface of a Ti-6Al-4V armor plate. Due to the adiabatic shear and spall failure of the back face of titanium armor targets, an ~5%–10% greater thickness of titanium alloy can be perforated at the same velocity as compared to semi-infinite titanium alloy.

Figure 2 shows an example of the severe back surface spalling that can occur in high-strength titanium alloys. Fragments resulting from this ballistic event would increase system vulnerability and result in damage to personnel and equipment behind the armor. This is a concern should titanium alloy be used as a rear structural material for armored vehicles. The intention of this study was to alleviate these problems and produce a titanium structural material that was suitable for the inner structural element of a combat vehicle. The approach taken was to

¹Pitler, R.; Hurlich, A. *Some Mechanical and Ballistic Properties of Titanium and Titanium Alloys*; 401/17; Watertown Arsenal Laboratory: Watertown, MA, March 1950 (ADA 951655).

²Sliney, J. *Status and Potential of Titanium Armor; Proceedings of the Metallurgical Advisory Committee on Rolled Armor*; AMRA MS 64-04; U.S. Army Materials Research Agency: Watertown, MA, January 1964 (AD 354853).

³Burkins, M.; Paige, J.; Hansen, J. *A Ballistic Evaluation of Ti-6Al-4V vs. Long Rod Penetrators*; ARL-TR-1146; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, July 1996.

⁴MIL-T-9046J. *Military Specifications—Titanium and Titanium Alloy (Sheet-Strip-Plate)* **1993**.




Figure 1. Comparison of penetration and perforation behavior of rolled homogeneous armor (RHA) and Ti-6Al-4V armor materials.



Figure 2. Severe spall of unconfined back surface due to ballistic impact on finite thickness titanium armor plate.

develop metallic laminates composed of titanium alloy plates with a backing plate of a dissimilar material to suppress the adiabatic shear failure and back face spalling.

3. Materials and Processing

The Ti-6Al-4V material used in all phases of the program was purchased to the military specification, MIL-T-9046J. Chemistries and typical properties can be found in Burkins et al.³ The monolithic titanium alloy armor thickness was fixed at 38.1 mm. In the laminate armor tests, the thickness of the Ti-6Al-4V front plate was fixed at 31.75 mm and the rear plate at 6.35 mm for the same total thickness of 38.1 mm. All the plates had 304.8- × 304.8-mm lateral dimensions.

Three different backing plate materials were chosen for the bimetallic laminates: aluminum (1100), RHA steel, and commercially pure titanium (C.P.). These material combinations provided a wide range of strengths, toughnesses, densities, and metallurgical compatibilities with the Ti-6Al-4V armor front plate. Two methods were chosen for fabrication of the laminates: explosive welding and hot isostatic pressing (HIP).

Explosive welding is a solid state welding process, which uses controlled explosive detonations to force two or more metals together at high velocities (figure 3). It has the advantage of effectively scrubbing clean both metal surfaces during the joining process. Because the time durations are so short, the reaction zones are extremely small with a correspondingly small heat effected zone. Because the base metals remain at near ambient temperatures, the formation of




Figure 3. Schematic of explosive welding process.

brittle intermetallics is suppressed. This technique was used to join all the combinations of materials used in the bimetallic laminates.

HIP, figure 4, was chosen as an alternative to explosive bonding for joining the titanium alloy to the commercially pure titanium due to the compatibility of the two materials. HIPing is a solid state diffusion process carried out at high temperature and pressure. To join the titanium alloy and C.P. titanium, the materials were processed in the HIP press for 2 hr at 900 °C and 15-ksi pressure. HIP bonding offers the advantage of no explosives, and there is an industrial capability to produce parts in sizes suitable for combat vehicles.




Figure 4. Sketch of 20-mm fragment simulating projectile (FSP).

4. Test Methodology

Ballistic limit velocities were determined at 0° obliquity to the target surface. Limit velocity perforation testing involves varying the impact velocity against a single thickness of plate and determining the minimum velocity necessary for perforation. The limit velocity (V_L) is defined as the critical velocity at which the target is just perforated (i.e., the residual velocity is zero). The V_L was calculated averaging the highest partial and lowest complete penetration velocity.

The penetrator chosen for the evaluation was the standard 20-mm FSP shown in figure 5. This projectile was selected because the geometry of the nose tends to emphasize the spalling and plugging behavior of the materials.

The penetrators were fired from a laboratory gun consisting of a 37-mm breech assembly with a 26-mm smoothbore barrel. A custom-built polypropylene sabot system was used to launch the




Figure 5. Comparison of limit velocity performance of candidate titanium laminates vs. the weight equivalent monolithic titanium armor plate.

projectiles. The target was positioned 1.5 m downrange from the muzzle of the gun. The propellant weights were adjusted from shot-to-shot to achieve desired striking velocities.

For this test penetrator, the performance of the modified titanium plates was compared to the 0° obliquity baseline performance of monolithic Ti-6Al-4V armor of the same weight or areal density. Comparisons were based on the areal density of the candidate armor material needed to defeat the projectile at a given striking velocity. Areal density is defined as the thickness of material perforated (or depth penetrated) times the density of this material.

5. Results

A series of shots were fired into each laminate combination to obtain the ballistic limit velocity. Figure 6 shows the ballistic limit velocity, V_L , for each of the targets plotted as a function of their areal densities. Based on the data of Burkins et al.,³ the solid diagonal line represents the V_L of solid titanium alloy as a function of plate thickness or areal density. For the laminate armor data points lying above the diagonal, performance exceeds that of the monolithic titanium plate. For data points below the diagonal, the performance of the laminates are inferior to the monolithic plate. Both joining techniques show that the combination of Ti-6Al-4V laminated to C.P. Ti performs better than the monolithic titanium alloy on a weight basis. Both the Al and RHA laminates show performance decrements on a weight basis. The combination of HIP pressing and a laminate of titanium alloy and C.P. titanium shows a 5%–10% improvement in




Figure 6. Comparison of limit velocity for titanium laminates and Ti-6Al-4V alloy.

the V_L . This improvement is the same magnitude as the loss in going from semi-infinite penetration to finite plate perforation shown in figure 1.

Each of the targets was sectioned through the penetration channel to observe the integrity of the bond between the front and back plate and the degree of spalling produced. Figure 7 shows the penetration channel for the best performer, the Ti-6Al-4V/C.P. Ti. Note the absence of a spall ring as compared to figure 2 and the absence of any delamination of the layers. Similar




Figure 7. Typical penetration channel through HIP-bonded Ti-6Al-4V laminate. Penetration direction is top to bottom.

observations were made on each of the combinations of materials. Figure 8 shows the diameter of the spall ring for each bimetallic laminate material tested. Again, the HIP bonded laminate of titanium alloy and C.P. Ti was the best. The maximum diameter of the penetration channel was approximately the diameter of the original projectile, nearly eliminating secondary lethality effects from spall behind the armor.




Figure 8. Spall cone diameters for titanium and titanium laminates impacted by 20-mm FSPs.

6. Conclusions

Laminated titanium armor designs offer enhanced performance of the baseline monolithic Ti-6Al-4V alloy and identifies the advantages of using these bimetallic laminates as rear structural elements of an armored vehicle. Two joining techniques were investigated. Of the two, HIP bonding of Ti-6Al-4V to C.P. Ti had the best combination of ballistic performance and spall suppression. HIP bonding is an existing commercially available process with the capability to bond sections large enough for combat vehicles.

Results to date address only one possible combination for the laminate: a biplate with fixed thicknesses of each component. Planned future efforts will examine different thickness ratios and multiple layer schemes.

1 DEFENSE TECHNICAL
(PDF INFORMATION CENTER
Only) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FT BELVOIR VA 22060-6218

1 COMMANDING GENERAL
US ARMY MATERIEL CMD
AMCRDA TF
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

1 INST FOR ADVNCD TCHNLGY
THE UNIV OF TEXAS
AT AUSTIN
3925 W BRAKER LN STE 400
AUSTIN TX 78759-5316

1 US MILITARY ACADEMY
MATH SCI CTR EXCELLENCE
MADN MATH
THAYER HALL
WEST POINT NY 10996-1786

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL D
DR D SMITH
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL CS IS R
2800 POWDER MILL RD
ADELPHI MD 20783-1197

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL CI OK TL
2800 POWDER MILL RD
ADELPHI MD 20783-1197

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL CS IS T
2800 POWDER MILL RD
ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

2 DIR USARL
AMSRD ARL CI LP (BLDG 305)
AMSRD ARL CI OK TP (BLDG 4600)

NO. OF
COPIES ORGANIZATION

1 HQDA
SARD TR R CHAIT
PENTAGON
WASHINGTON DC 20310-0103

7 CDR US ARMY TACOM
AMSTA TR S
T FURMANIAK
S GOODMAN
D HANSEN
L PROKURAT FRANKS
D THOMAS
D TEMPLETON
AMSTA TR STI
J CARIE
WARREN MI 48397-5000

2 PROJ MGR
COMBAT SYSTEMS
SFAE GCSS W AB S
J ROWE
M KING
WARREN MI 48397-5000

1 CDR US ARO
PO BOX 12211
RESEARCH TRIANGLE PARK NC
27709-2211

1 CDR NGIC
W GSTATTENBAUER
220 SEVENTH AVE
CHARLOTTESVILLE VA 22901-5391

1 CIA
OSWR DSD
W WALTMAN
ROOM 5P0110 NHB
WASHINGTON DC 20505

1 DIR DARPA
3701 NORTH FAIRFAX DR
ARLINGTON VA 22203-1714

1 CDR CARDEROCK DIV NSWC
CODE 28
R PETERSON
9500 MACARTHUR BLVD
W BETHESDA MD 20817-5700

NO. OF
COPIES ORGANIZATION

1 DEPT OF THE NAVY
OFC DIR REPORTING
ADVANCED AMPHIBIOUS ASSAULT
PROJ MGR
D ERDLEY
WASHINGTON DC 20380-0001

3 LAWRENCE LIVERMORE NATL LAB
R GOGOLEWSKI MS L290
R LANDINGHAM L369
J REAUGH L32
PO BOX 808
LIVERMORE CA 94550

2 LOS ALAMOS NATL LAB
F ADDESSIO
M BURKETT
LOS ALAMOS NM 87545

5 SANDIA NATL LAB
J ASAY MS 0548
R BRANNON MS 0820
L CHHABILDAS MS 0821
D CRAWFORD ORG 0821
M FORRESTAL DIV 1551
P O BOX 5800
ALBUQUERQUE NM 87185-0307

1 NAVAL RSRCH LAB
CODE 6684
4555 OVERLOOK AVE SW
WASHINGTON DC 20375

1 AIR FORCE ARMAMENT LAB
AFATL DLJW
W COOK
EGLIN AFB FL 32542

4 INST FOR ADVNCD TECH
S BLESS
H FAIR
D LITTLEFIELD
R SUBRAMANIAN
3925 W BRAKER LANE
SUITE 400
AUSTIN TX 78759-5316

1 UNIV OF DAYTON RSRCH INST
KLA14
N BRAR
300 COLLEGE PARK
DAYTON OH 45469-0182

NO. OF
COPIES ORGANIZATION

3 SOUTHWEST RSRCH INST
C ANDERSON
J RIEGEL
J WALKER
6220 CULEBRA RD
SAN ANTONIO TX 78238

2 US DEPT OF ENERGY
ALBANY RSRCH CTR
J HANSEN
P TURNER
1450 QUEEN AVE SW
ALBANY OR 97321-2198

1 BROWN UNIV
DIV OF ENGINEERING
R CLIFTON
PROVIDENCE RI 02912

2 UNIV OF CA SAN DIEGO
DEPT OF APPL MECH & ENGR
SVCS R011
S NEMAT NASSER
M MEYERS
LA JOLLA CA 92093-0411

1 ARMORWORKS
W PERCIBALLI
1701 W 10TH ST SUITE 5
TEMPE AZ 85281

2 AERONAUTICAL RSRCH ASSOC
R CONTILIANO
J WALKER
PO BOX 2229
50 WASHINGTON RD
PRINCETON NJ 08540

1 APPLIED RSRCH ASSOC INC
J YATTEAU
5941 S MIDDLEFIELD RD
SUITE 100
LITTLETON CO 80123

1 APPLIED RSRCH ASSOC INC
D GRADY
4300 SAN MATEO BLVD NE
STE A 220
ALBUQUERQUE NM 87110

NO. OF
COPIES ORGANIZATION

1 BRIGGS CO
J BACKOFEN
2668 PETERSBOROUGH ST
HERNDON VA 22071-2443

2 CENTURY DYNAMICS INC
N BIRNBAUM
B GERBER
2333 SAN RAMON VALLEY BLVD
SAN RAMON CA 94583-1613

3 CERCOM INC
R PALICKA
G NELSON
B CHEN
1960 WATSON WAY
VISTA CA 92083

2 COORS CERAMIC CO
STRUCTURAL DIV
K HARTMAN
T RILEY
600 NINTH ST
GOLDEN CO 80401

1 CORNING INC
S HAGG SP DV 22
CORNING NY 14831

1 CYPRESS INTERNATIONAL
A CAPONECCHI
1201 E ABINGDON DR
ALEXANDRIA VA 22314

3 DOW CHEMICAL INC
ORDNANCE SYSTEMS
C HANEY
A HART
B RAFANIELLO
800 BUILDING
MIDLAND MI 48667

1 R J EICHELBERGER
409 W CATHERINE ST
BEL AIR MD 21014-3613

1 EPSTEIN AND ASSOC
K EPSTEIN
2716 WEMBERLY DR
BELMONT CA 94002

NO. OF
COPIES ORGANIZATION

6 GDLS
W BURKE MZ436 21 24
G CAMPBELL MZ436 30 44
D DEBUSSCHER MZ436 20 29
J ERIDON MZ436 21 24
W HERMAN MZ435 01 24
S PENTESCU MZ436 21 24
38500 MOUND RD
STERLING HTS MI 48310-3200

2 GALT ALLOYS INC
S FELLOWS
S GIANGIORDANO
122 CENTRAL PLAZA N
CANTON OH 44702

1 GENERAL RSRCH CORP
PO BOX 6770
SANTA BARBARA CA
93160-6770

1 INTERNATIONAL RSRCH ASSOC
D ORPHAL
4450 BLACK AVE
PLEASANTON CA 94566

1 JET PROPULSION LAB
IMPACT PHYSICS GROUP
M ADAMS
4800 OAK GROVE DR
PASADENA CA 91109-8099

1 KAMAN SCIENCES CORP
1500 GARDEN OF THE GODS RD
COLORADO SPRINGS CO 80907

1 KERAMONT CORP
E SAVRUN
4231 S FREEMONT AVE
TUSCON AZ 85714

3 O'GARA HESS AND EISENHARDT
G ALLEN
D MALONE
T RUSSELL
9113 LE SAINT DR
FAIRFIELD OH 45014

1 OREMET WAH CHANG
Y KOSAKA
PO BOX 580
ALBANY OR 97321

NO. OF
COPIES ORGANIZATION

3 OSRAM SYLVANIA INC
HAWES ST
D BUTTLEMAN
P DOEPKER
D HOUCK
TOWANDA PA 18848

4 POULTER LAB
SRI INTERNATIONAL
D CURRAN
R KLOOP
L SEAMAN
D SHOCKEY
333 RAVENSWOOD AVE
MENLO PARK CA 94025

1 RMI TITANIUM CO
W LOVE
3350 E BIRCH ST STE 210
BREA CA 92821-6267

6 RMI TITANIUM CO
J BENNETT
E CHRIST
F JANOWSKI
W PALLANTE
S ROBERTSON
O YU
1000 WARREN AVE
NILES OH 44446

1 TIMET
J FANNING
PO BOX 2128
HENDERSON NV 89009

1 SAIC
J FURLONG MS 264
1710 GOODRIDGE DR
MCLEAN VA 22102

2 SIMULA INC
R WOLFFE
10016 SOUTH 51ST ST
PHOENIX AZ 85044

5 TIMET
J BARBER
1999 BROADWAY
SUITE 4300
DENVER CO 80202

NO. OF
COPIES ORGANIZATION

7 UNITED DEFENSE LP
J DORSCH
V HORVATICH
B KARIYA
M MIDDIONE
R MUSANTE
R RAJAGOPAL
D SCHADE
PO BOX 367
SANTA CLARA CA 95103

3 UNITED DEFENSE LP
E BRADY
R JENKINS
J JOHNSON
PO BOX 15512
YORK PA 17405-1512

1 ZERNOW TECH SVCS INC
L ZERNOW
425 W BONITA AVE
SUITE 208
SAN DIMAS CA 91773

ABERDEEN PROVING GROUND

1 DIR USA EBCC
SCBRD RT
5183 BLACKHAWK RD
APG EA MD 21010-5424

1 CDR USA SBCCOM
AMSCB CII
5183 BLACKHAWK RD
APG EA MD 21010-5424

2 DIR USAMSAA
AMXS D
AMXS MP
H COHEN

1 CDR USATECOM
AMSTE TC

3 CDR USATEC
STEAC LI LV (B400)
E SANDERSON
M SIMON (2 CPS)

NO. OF
COPIES ORGANIZATION

32 DIR USARL
AMSRD ARL WM T
B BURNS
AMSRD ARL WM TD
A DIETRICH
D DANDEKAR
T FARRAND
A GUPTA
M RAFTENBERG
E RAPACKI
N RUPERT
M SCHEIDLER
S SCHOENFELD
S SEGLETES
T WEERASOORIYA
T WRIGHT
AMSRD ARL WM TC
K KIMSEY
L MAGNESS
D SCHEFFLER
AMSRD ARL WM TA
W BRUCHEY
M BURKINS
W GOOCH
D HACKBARTH
E HORWATH
D KLEPONIS
M NORMANDIA
J RUNYEON
M ZOLTOSKI
AMSRD ARL WM TE
A NIILER
AMSRD ARL WM M
D VIECHNICKI
AMSRD ARL WM MC
J BEATTY
J MONTGOMERY
R SQUILLACIOTI
AMSRD ARL WM MD
W ROY
D SNOHA

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
3	AERONAUTICAL & MARITIME RESEARCH LABORATORY N BURMAN S CIMPOERU D PAUL PO BOX 4331 MELBOURNE VIC 3001 AUSTRALIA	1	CONDAT J KIERMEIR MAXILLANSTR 28 8069 SCHEYERN FERNHAG GERMANY
1	ARMSCOR L DU PLESSIS PRIVATE BAG X337 PRETORIA 0001 SOUTH AFRICA	2	DEFENCE PROCUREMENT AGCY G LAUBE W ODERMATT BALLISTICS WPNS & COMBAT VEHICLE TEST CTR CH 3602 THUN SWITZERLAND
1	BATTELLE INGENIEURTECHNIKGMBH W FUCKE DUESSELDORFFER STR 9 D 65760 ESCHBORN GERMANY	6	DEFENCE RESEARCH AGENCY W CARSON I CROUCH C FREW T HAWKINS B JAMES B SHRUBSALL CHOBHAM LANE CHERTSEY SURREY KT16 OEE UNITED KINGDOM
1	CARLOS III UNIV OF MADRID C NAVARRO ESCUELA POLITÉCNICA SUPERIOR C/BUTARQUE 15 28911 LEGANÉS MADRID SPAIN	1	DEFENCE RESEARCH AGENCY FORT HALSTEAD SEVEN OAKS KENT TN14 7BP UNITED KINGDOM
1	CELSIUS MATERIALTEKNIK KARLSKOGA AB L HELLNER S 691 80 KARLSKOGA SWEDEN	1	DEFENCE RSCH ESTAB SUFFIELD C WEICKERT BOX 4000 MEDICINE HAT ALBERTA T1A 8K6 CANADA
3	CENTRE D ETUDES GRAMAT J CAGNOUX C GALLIC J TRANCHET GRAMAT 46500 FRANCE	1	DEFENCE RSCH ESTAB VALCARTIER ARMAMENTS DIVISION R DELAGRAVE 2459 PIE X1 BLVD N PO BOX 8800 CORCELETTE QUEBEC G0A 1R0 CANADA
1	MINISTRY OF DEFENCE DGA/DSP/STTC G BRAULT 4 RUE DE LA PORTE D ISSY 00460 ARMÉES F 75015 PARIS FRANCE	1	TDW M HELD POSTFACH 1340 D 86523 SCHROBENHAUSEN GERMANY

NO. OF
COPIES ORGANIZATION

- 3 DEUTSCH FRANZÖSISCHES
FORSCHUNGSINSTITUT SAINT LOUIS
H ERNST
K HOOG
H LERR
CÉDEX 5 RUE DU GÉN CASSAGNOU
F 68301 SAINT LOUIS
FRANCE
- 1 DIEHL GMBH AND CO
M SCHILDKNECHT
FISCHBACHSTRASSE 16
D 90552 RÖTBENBACH AD
PEGNITZ
GERMANY
- 1 DYNAMEC RESEARCH AB
Å PERSSON
PO BOX 201
S-151 23 SÖDERTÄLJE
SWEDEN
- 3 ETBS DSTI
P BARNIER
M SALLES
B GAILLY
ROUTE DE GUERAY
BOITE POSTALE 712
18015 BOURGES CEDEX
FRANCE
- 1 EMBASSY OF AUSTRALIA
COUNSELLOR DEFENCE SCIENCE
1601 MASSACHUSETTS AVE NW
WASHINGTON DC 20036-2273
- 2 FEDERAL MINISTRY OF DEFENCE
DIR OF EQPT & TECH LAND
RÜV 2
D HAUG
L REPPER
POSTFACH 1328
53003 BONN
GERMANY

NO. OF
COPIES ORGANIZATION

- 4 FRANHOFER INSTITUT FÜR
KURZZEITDYNAMIK
ERNST MACH INSTITUT
V HOHLER
E STRASSBURGER
R THAM
K THOMA
ECKERSTRASSE 4
D 79 104 FREIBURG
GERMANY
- 1 MINISTRY OF DEFENCE
DGA SPART
C CANNAVO
10 PLACE GEORGES CLEMENCEAU
BP19
F 92211 SAINT CLOUD CÉDEX
FRANCE
- 2 HIGH ENERGY DENSITY RSRCH CTR
V FORTOV
G KANEL
IZHORSKAYA STR 13/19
MOSCOW 127412
RUSSIAN REPUBLIC
- 1 INGENIEURBÜRO DEISENROTH
F DEISENROTH
AUF DE HARDT 33 35
D 5204 LOHMAR 1
GERMANY
- 1 INST OF CHEMICAL PHYSICS
S RAZORENOV
142432 CHERNOGOLOVKA
MOSCOW REGION
RUSSIAN REPUBLIC
- 7 INSTITUTE FOR PROBLEMS IN
MATERIALS SCIENCE
S FIRSTOV
B GALANOV
O GRIGORIEV
V KARTUZOV
V KOVTUN
Y MILMAN
V TREFILOV
3 KRHYZHANOVSKY STR
252142 KIEV-142 UKRAINE

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	INSTI FOR PROBLEMS OF STRESS G STEPANOV TIMIRYAZEVSKEYA STR 2 252014 KIEV UKRAINE	5	RAPHAEL BALLISTICS CENTER M MAYSELESS Y PARTOM G ROSENBERG Z ROSENBERG Y YESHURUN BOX 2250 HAIFA 31021 ISRAEL
3	INST OF MECH ENGINEERING PROBLEMS V BULATOV D INDEITSEV Y MESCHERYAKOV BOLSHOY 61 V O ST PETERSBURG 199178 RUSSIAN REPUBLIC	1	RSRCH INST OF MECHANICS NIZHNIY NOVGOROD STATE UNIV A SADYRIN PR GAYARINA 23 KORP6 NIZHNIY NOVGOROD 603600 RUSSIAN REPUBLIC
2	IOFFE PHYSICO TECH INST E DROBYSHEVSKI A KOZHUSHKO ST PETERSBURG 194021 RUSSIAN REPUBLIC	1	ROYAL MILITARY ACADEMY E CELENS RENAISSANCE AVE 30 B 1040 BRUSSELS BELGIUM
1	K&W THUN W LANZ ALLMENDSSTRASSE 86 CH 3602 THUN SWITZERLAND	1	ROYAL NETHERLANDS ARMY J HOENEVELD V D BURCHLAAN 31 PO BOX 90822 2509 LS THE HAGUE NETHERLANDS
1	MAX PLANCK INSTITUT FUR EISENFORSCHUNG GMBH C DERDER MAX PLANCK STRASSE 1 40237 DUSSELDORF GERMANY	1	DEFENCE MATERIEL ADMIN WEAPONS DIRECTORATE A BERG S 11588 STOCKHOLM SWEDEN
2	NATIONAL DEFENCE HEADQUARTERS PMO MRCV MAJ M PACEY PMO LAV A HODAK OTTOWA ONTARIO KIA OK2 CANADA	2	SWEDISH DEFENCE RSRCH ESTAB VISION OF MATERIALS S J SAVAGE J ERIKSON S 172 90 STOCKHOLM SWEDEN
1	R OGORKIEWICZ 18 TEMPLE SHEEN LONDON SW 14 7RP UNITED KINGDOM	3	SWEDISH DEFENCE RSRCH ESTAB L HOLMBERG B JANZON I MELLGARD BOX 551 S 147 25 TUMBA SWEDEN
1	OTO BREDAS M GUALCO VIA VALDIOCCHI 15 I 19136 LA SPEZIA ITALY		

NO. OF
COPIES ORGANIZATION

1 TECHNION INST OF TECH
FACULTY OF MECH ENGRG
S BODNER
TECHNION CITY
HAIFA 32000
ISRAEL

3 TECHNISCHE UNIVERSITÄT
CHEMNITZ ZWICKAU
A SCHROEDTER
L KRUEGER
L MEYER
POSTFACH
D 09107 CHEMNITZ
GERMANY

2 TNO PRINS MAURITS LAB
H PESKES
R IJSSELSTEIN
LANGE KLEIWEG 137
PO BOX 45
2280 AA RIJSWIJK
THE NETHERLANDS

6 CENTRE DE RECHERCHES
ET D'ETUDES D'ARCUEIL
D BOUVART
C COTTENNOT
S JONNEAUX
H ORSINI
S SERRON
F TARDIVAL
16 BIS AVENUE PRIEUR DE
LA CÔTE D'OR
F 94114 ARCUEIL CÉDEX
FRANCE

1 MORGAN MATROC
C ROBERTSON
ST PETERS RD RUGBY
WARWICKSHIRE CV 21 3QR
UNITED KINGDOM

3 SNPE
P FABRE
C GAUDIN
C GOUZOUGUEN
BP NO 2
91710 VERT LE PETIT
FRANCE

NO. OF
COPIES ORGANIZATION

1 CDR EUROPEAN RSCH OFFICE
USARDSG (UK)
S SAMPATH
PSC 802 BOX 15
FPO AE 09499-1500